

	Application No.	Applicant(a)	
Notice of Allowability	Application No.	Applicant(s)	
	10/005,043	YEH ET AL.	
	Examiner	Art Unit	
	Jungwon Chang	2154	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is	in this application. If not included nunication will be mailed in due court	se. THIS
1. X This communication is responsive to appeal brief filed 8/17	<u>7/07</u> .		
2. ☑ The allowed claim(s) is/are <u>1-14</u> .			
Acknowledgment is made of a claim for foreign priority una All b) □ Some* c) □ None of the: Certified copies of the priority documents have □ Certified copies of the priority documents have □ Copies of the certified copies of the priority documents have	e been received. e been received in Applicat	ion No	from the
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		le a reply complying with the require	ments
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give			CE OF
 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner 	son's Patent Drawing Revie		
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1	1.84(c)) should be written on	the drawings in the front (not the bac	k) of
each sheet. Replacement sheet(s) should be labeled as such in the factor of the sheet. Below the such in the sheet sheet. Below the sheet	osit of BIOLOGICAL MA	ΓERIAL must be submitted. Note	the
•			
Attachment(s)	5 □ Notice of	Informal Patent Application	
1. Notice of References Cited (PTO-892)		Summary (PTO-413),	
 Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO/SB/08), 	Paper No	o./Mail Date 's Amendment/Comment	
Paper No./Mail Date	_		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		's Statement of Reasons for Allowar	
	9. 🗌 Other	_ MBTURWO	~
		JUNGWÓN CHANG PRIMARY EXAMINER TECHNOLOGY CENTER 2100	•••
		OLIVILI12100	J.

Application/Control Number: 10/005,043

Art Unit: 2154

1. The following is an examiner's statement of reasons for allowance: The prior art of record does not teach or suggest individually or in combination the limitation of "storing both electrical interface configuration information and data translation configuration information relating to the at least one of the industrial machines; a configurable electrical interface adapted to be directly connected to one of the industrial machines and responsive to the configuration information for configuring the electrical interface characteristics of the electrical interface in response to the stored electrical interface configuration information relating to at least one of the plurality of industrial machines for receiving machine data from the industrial machine and sending data to the industrial machine; and a configurable data translator responsive to the stored data translation configuration information, receiving data from the interface and transforming the data to the predetermined format."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jungwon Chang whose telephone number is 571-272-3960. The examiner can normally be reached on 6:30-2:00 (Monday-Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J. Flynn can be reached on 571-272-1915. The fax phone number

Application/Control Number: 10/005,043

Art Unit: 2154

for the organization where this application or proceeding is assigned is 571-273-8300.

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

October 15, 2007

JUNGWON CHANG PRIMARY EXAMINER TECHNOLOGY CENTER 2100